

TECHNICAL SPECIFICATIONS  
SEAT Arona



	1.0 TSI 95PS	1.0 TSI 115 PS	1.0 TSI 115 PS DSG
<b>ENGINE</b>			
Cylinder/Valve (Total)	3 Cyl. - 12v		
Displacement (cc)	999		
Bore and stroke (mm)	74,5 X 76,4		
Compression ratio	10,5		
Maximum power (Kw/hp/rpm)	70/95/ 5000-5500	85/115/ 5000-5500	
Max. Torque (NM/rpm)	175/2000-3500	200 / 2000-3500	
Fuel supply system	TSI-Direct Injection		
Ignition	Positiv Ignition (Electronic map-controlled ignition)		
Fuel type	ROZ 95		
Emissions standard	EU6		
Alternator (A)	110A		
Battery (Ah)	59 Ah		
<b>PERFORMANCE</b>			
Max. Speed (Km/h)	173	182	182
Acceleration 0-100 km/h	11,6	9,8	10,0
<b>MASS EMISSION</b>			
CO2 Combined (g/Km)	112	114	114
<b>FUEL CONSUMPTION</b>			
Combined (l/100 Km)	4,9	4,9 / 5,0	5,0
<b>TRANSMISSION</b>			
Gearbox type:	Manual 5-speed	Manual 6-speed	DSG 7-speed
I	3,769	3,769	3,765
II	1,955	1,955	2,273
III	1,281	1,281	1,531
IV	0,881	0,973	1,133
V	0,673	0,778	1,176
VI	-	0,642	0,956
VII	-	-	0,795
R	3,181	3,181	4,167
Group ratio	4,357 (1)	4,056 (1)	4,778 (1) - 3,583 (2) - 4,526 (3)
Speed 1000 rpm in IV/V/VI (km/h)	31,2 / 40,9	30,4 / 38,0 / 46,1	22,1 / 28,4 / 34,9 / 42
<b>CHASIS</b>			
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber		
Steering system	C - EPS		
Turning diameter (m)	10,6		
Front / Rear brake type	Ventilated front brakes / Drum-Disc brakes in rear axle	Ventilated front brakes / Disc brakes in rear axle	
Front brakes (mm)	276x24		276x24
Rear brakes (mm)	228x42	230x9	230x9
Rims (")	16" - 17" - 18"		
Tyres	205/60 R16 - 205/55 R17 - 215/45 R18		
<b>PACKAGE</b>			
Body type	SUV 5 doors		
Length / width / height (mm)	4138 / 1780 / 1552		
Wheelbase (mm)	2566		
Front/Rear track (mm)	1503 / 1486		
Boot capacity (L)	400		
Petrol tank capacity (L)	40		
<b>WEIGHTS</b>			
In running order with driver (Kg)	1165	1187	1210
Max. Weight allowed (Kg)	1615	1625	1645

TECHNICAL SPECIFICATIONS  
SEAT Arona



	1.5 TSI Evo 150PS
<b>ENGINE</b>	
Cylinder/Valve (Total)	4 Cyl. - 16 v
Displacement (cc)	1498
Bore and stroke (mm)	74,5 x 85,9
Compression ratio	10,5
Maximum power (Kw/hp/rpm)	110/150 / 5000-6000
Max. Torque (NM/rpm)	250 / 1500-3500
Fuel supply system	Direct Injection
Ignition	Positiv Ignition (Electronic map-controlled ignition)
Fuel type	ROZ 95
Emissions standard	EU6
Alternator (A)	110A
Battery (Ah)	59Ah
<b>PERFORMANCE</b>	
Max. Speed (Km/h)	205
Acceleration 0-100 Km/h (s)	8,0
<b>MASS EMISSION</b>	
CO2 Combined (g/Km)	118
<b>FUEL CONSUMPTION</b>	
Combined (l/100 Km)	5,1
<b>TRANSMISSION</b>	
Gearbox type:	Manual 6-speed
I	4,111
II	2,118
III	1,36
IV	1,029
V	0,857
VI	0,733
VII	-
R	3,999
Group ratio	3,647 (1)
Speed 1000 rpm in IV/V/VI (km/h)	31,9 / 38,3 / 44,8
<b>CHASIS</b>	
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber
Steering system	C - EPS
Turning diameter (m)	10,6
Front / Rear brake type	Ventilated front brakes / Disc brakes in rear axle
Front brakes (mm)	276x24
Rear brakes (mm)	230x9
Rims (")	17" - 18"
Tyres	205/55 R17 - 215/45 R18
<b>PACKAGE</b>	
Body type	SUV 5P
Length / width / height (mm)	4138/1780/1552
Wheelbase (mm)	2566
Front / Rear track (mm)	1503 / 1486
Boot capacity (L)	400L
Petrol tank capacity (L)	40
<b>WEIGHTS</b>	
In running order with driver (Kg)	1222
Max. Weight allowed (Kg)	1665

\* The data used in this report are preliminary

TECHNICAL SPECIFICATIONS  
SEAT Arona



	1.6 TDI 95 PS	1.6 TDI 95 PS	1.6 TDI 115 PS
<b>ENGINE</b>			
Cylinder/Valve (Total)	4 Cyl. - 16v		
Displacement (cc)	1598		
Bore and stroke (mm)	79,5 X 80,5		
Compression ratio	16,2		
Maximum power (Kw/hp/rpm)	70/95 / 2750-4600		85/115 / 3250-4000
Max. Torque (NM/rpm)	250 / 1500-2600		250 / 1500-3200
Fuel supply system	Direct injection: Common Rail		
Ignition	Compressed ignition		
Fuel type	DIESEL		
Emissions standard	EU6		
Alternator (A)	110A / 140A		
Battery (Ah)	70Ah		
<b>PERFORMANCE</b>			
Max. Speed (Km/h)	172	174	185
Acceleration 0-100 Km/h (s)	11,8	11,7	10,1
<b>MASS EMISSION</b>			
CO2 Combined (g/Km)	107	106	108
<b>FUEL CONSUMPTION</b>			
Combined (l/100 Km)	4,1		
<b>TRANSMISSION</b>			
Gearbox type:	Manual 5-speed	DSG 7-speed	Manual 6-speed
I	3,778	3,5	4,111
II	1,944	2,087	2,118
III	1,185	1,343	1,36
IV	0,816	0,933	0,971
V	0,625	0,974	0,773
VI	-	0,778	0,625
VII	-	0,653	-
R	3,600	3,721	3,999
Group ratio	3,647 (1)	4,8 (1) - 3,429 (2) - 4,5 (3)	3,389 (1)
Speed 1000 rpm in IV/V/VI (km/h)	40,3 / 52,5	26,7 / 35,8 / 44,9 / 53,5	36,4 / 45,7 / 56,5
<b>CHASSIS</b>			
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber		
Steering system	C-EPS (Column Electric Power System)		
Turning diameter (m)	10,6		
Front / Rear brake type	Ventilated front brakes / Drum-Disc brakes in rear axle		
Front brakes (mm)	276x24		
Rear brakes (mm)	228x42		230x9
Rims (")	16" - 17" - 18"		
Tyres	250/60 R16 - 205/55 R17 - 215/45 R18		
<b>PACKAGE</b>			
Body type	SUV 5 doors		
Length / width / height (mm)	4138 / 1780 / 1552		
Wheelbase (mm)	2566		
Front/Rear track (mm)	1503 / 1486		
Boot capacity (L)	400		
Petrol tank capacity (L)	40		
<b>WEIGHTS</b>			
In running order with driver (Kg)	1297	1320	1303
Max. Weight allowed (Kg)	1715	1745	1725

\* The data used in this report are preliminary